

Bijlage C

(normatief)

Steekproefgrootte

Steekproefeenheden			verminderd	normaal	verschert	Steekproefeenheden			verminderd	normaal	verschert
2	-	5	2	2	2	281	-	287	13	32	51
6	-	8	2	2	3	288	-	294	13	33	52
9	-	11	2	3	4	295	-	302	13	34	53
12	-	15	3	3	5	303	-	309	13	34	54
16	-	18	3	4	6	310	-	316	14	35	55
19	-	21	4	4	7	317	-	324	14	36	56
22	-	25	5	5	8	325	-	331	14	36	57
26	-	30	5	5	9	332	-	338	14	37	58
31	-	35	5	6	10	339	-	346	14	38	59
36	-	40	5	7	11	347	-	353	15	38	60
41	-	45	6	7	12	354	-	360	15	39	61
46	-	50	6	8	13	361	-	368	15	40	62
51	-	55	6	9	14	369	-	375	15	40	63
56	-	61	6	10	15	376	-	382	16	41	64
62	-	67	7	10	16	383	-	390	16	42	65
68	-	72	7	11	17	391	-	397	16	42	66
73	-	78	7	12	18	398	-	404	16	43	67
79	-	84	7	12	19	405	-	412	17	44	68
85	-	90	8	13	20	413	-	419	17	44	69
91	-	96	8	13	21	420	-	426	17	45	70
97	-	100	8	14	22	427	-	434	17	45	71
101	-	105	8	14	23	435	-	441	18	46	72
106	-	110	8	15	24	442	-	448	18	46	73
111	-	115	8	15	25	449	-	456	18	47	74
116	-	120	8	16	26	457	-	463	18	47	75
121	-	125	8	16	27	464	-	470	19	48	76
126	-	130	8	17	28	471	-	478	19	48	77
131	-	135	8	17	29	479	-	485	19	49	78
136	-	140	8	18	30	486	-	492	19	49	79
141	-	145	8	19	31	493	-	500	20	50	80
146	-	150	8	20	32	501	-	515	20	50	81
151	-	157	8	20	33	516	-	531	20	51	82
158	-	164	8	21	34	532	-	546	20	52	83
165	-	171	8	21	35	547	-	562	21	52	84
172	-	178	8	22	36	563	-	577	21	53	85
179	-	186	9	22	37	578	-	593	21	54	86
187	-	193	9	23	38	594	-	608	21	54	87
194	-	200	9	23	39	609	-	624	22	55	88
201	-	207	9	24	40	625	-	640	22	56	89
208	-	215	10	24	41	641	-	655	22	56	90
216	-	222	10	25	42	656	-	671	22	57	91
223	-	229	10	25	43	672	-	686	23	58	92
230	-	236	11	26	44	687	-	702	23	58	93
237	-	243	11	27	45	703	-	717	23	59	94
244	-	251	11	28	46	718	-	733	23	60	95
252	-	258	12	29	47	734	-	748	24	60	96
259	-	265	12	30	48	749	-	764	24	61	97
266	-	272	12	31	49	765	-	780	24	62	98
273	-	280	13	32	50	781	-	795	24	62	99

Bij eenmalige keuringen wordt de steekproefgrootte niet in steekproefeenheden uitgedrukt, maar in aantallen ruimten. De tabel dient dienovereenkomstig gebruikt te worden.